



index

>> button, 7-3
2D view, 8-14, 11-4
2-frame animations, 4-8, 11-6,
13-23
90° Rotate button, 5-6

A

accelerator boards, 16-4 to 16-5
adding. *See* creating
adjusting
 crop window, 8-7
 editing bevels, 4-10 to 4-13,
 16-2
 Gamma settings, 7-6, 15-2 to
 15-3, 15-4, 15-6 to
 15-7
 Looks, 5-3 to 5-13, 16-4
 See also editing Looks
Adobe Type Manager (ATM),
 2-1, 16-4
aligning
 objects using grid, 8-14, 15-2,
 16-7
 poses to frames, 13-16,
 13-17
alpha channel, 7-4, 16-7 to 16-8
Ambient light, 9-3 to 9-4
Ambient parameter, 10-18,
 10-19
animation bracket, 13-1
animations, 13-1 to 13-25
 2-frame animations, 4-8,

 11-6, 13-23
AVI movies, 13-18 to 13-20
 checklist, 13-21 to 13-22
 creating, 13-1 to 13-2, 13-10
 to 13-13
 delaying movements, 13-9 to
 13-10, 13-22
 easing, 13-4 to 13-5
 groups, 13-6 to 13-10, 13-22
 lengthening or shortening,
 13-13, 13-16, 13-22
 lights, 9-8, 13-5, 13-21, 16-7
 loops, 13-18, 13-21 to 13-22
 making objects disappear,
 13-21
 motion blur, 13-22 to 13-23
Motion Drawing Modes,
 13-18
MovieMaker application,
 13-18 to 13-19, 13-20,
 14-1 to 14-2
moving through Looks, 12-8
moving to new time, 13-5
particles and rendering, 6-1
path shape, 13-3 to 13-4,
 13-21
pauses in, 13-12 to 13-13
playing, 13-2, 13-23
poses, 13-3 to 13-10, 13-13
 to 13-16
rendering and viewing, 13-2,
 13-17 to 13-20, 13-23

Score window operations,
 13-24 to 13-25
troubleshooting, 13-21 to
 13-22, 17-4
Typestry characteristics, 13-20
 to 13-22
video, 13-5, 16-9
 See also poses
Animation Settings dialog, 13-16
 to 13-17
Antialias parameter, 10-21
applying Looks, 5-1 to 5-3
art. *See* images
A slider, 9-3 to 9-4
aspect ratio, 7-3 to 7-4, 10-9
ATM, 2-1, 16-4
Atmosphere, 11-6 to 11-7
attributes
 build, 4-1 to 4-13
 changing, 2-6
 Look, 5-1 to 5-13
 particle, 6-1 to 6-5
 text, 3-1 to 3-2
AutoPlanar projection, 5-8
Average Particle controls, 6-2 to
 6-3
avi file extension, 14-1
AVI movies, 13-2, 14-1 to 14-2
 size and resolution, 13-19 to
 13-20
 viewing, 13-23
 wireframe, 13-18 to 13-19



B

- background color, 15–2
- Backgrounds, 11–1 to 11–3
 - removing, 16–7 to 16–8
 - selecting, 2–4
- Bevel Editor, 4–10 to 4–13
- bevels
 - changing for a word, 16–2
 - Depth setting, 4–2, 4–11 to 4–12
 - editing, 4–10 to 4–13, 16–2
 - fonts misshapen, 4–9 to 4–10
 - saving, 4–13
 - Scale tool distortion, 4–2, 8–4
 - Styles, 4–2 to 4–5
 - tips, 4–11, 16–10
 - troubleshooting, 17–1
- Binary Dicing control, 7–7
- bitmaps (Illustrator), 3–2
- blends (Illustrator), 3–2
- Blur and Strobe, 11–5
- blur (motion), 11–5 to 11–6, 13–22 to 13–23, 16–10
- BMP 256 colors (DIB) file type, 7–4
- BMP files as Looks, 10–8 to 10–9
- both (Textiling setting), 4–6 to 4–7
- Bounce collision behavior, 6–2, 6–4
- Box projection, 5–9
- Box Spherical projection, 5–8, 5–10
- bracket, animation, 13–1
- brightness
 - Gamma adjustment, 7–6, 15–2 to 15–3, 15–4, 15–6 to 15–7

- RenderMan Expert
 - parameters, 10–18 to 10–21
- Browser, 5–2
- build attribute, 4–1 to 4–13
 - Bevel Editor, 4–10 to 4–13
 - Extrude Styles, 4–1 to 4–5
 - Flag Styles, 4–6 to 4–8
 - Tube Styles, 4–8 to 4–10
- built spotlights, 9–2
- Burn In mode, 13–18

C

- camera lenses, 7–5, 8–14, 11–3 to 11–5
- Camera View, 7–5
- canceling rendering, 7–5
- Cast Shadows control, 6–4
- CD-ROM of Pixar textures, 6–6, 10–5
- Center button, 9–8
- checklist for animations, 13–21 to 13–22
- choosing. *See* selecting
- Christmas ornament, 16–1 to 16–2
- circular Tube Style, 4–9
- Collision Behavior, 6–2, 6–4
- Color Picture parameter, 10–8
- color pictures in Looks, 10–8 to 10–9
- Color PS file type, 7–4
- colors
 - accuracy control, 7–6
 - animating lights, 13–21
 - atmosphere, 11–7
 - background, 15–2
 - Color Override box (Looks), 2–4, 5–3, 5–6, 10–6
 - Color Picker, 2–4, 5–3

- Gamma adjustment, 7–6, 15–2 to 15–3, 15–4, 15–6 to 15–7
- Illustrator, 3–2
- lights, 9–5
- multi-color decals, 10–13 to 10–14
- particles, 6–3, 6–4
- single-color decals, 10–14
- 'tweening birth/death colors, 6–4
- Color 'Tweening control, 6–3, 6–4
- compression (video), 13–19, 13–20, 14–2
- Compute Shadows box, 7–3
- confetti, 6–5
- Constant Look, 6–5, 9–5
- Constrain Aspect Ratio box, 7–3 to 7–4
- constraining
 - aspect ratio when rendering to file, 7–3 to 7–4
 - moving text, 8–2
 - rotating text, 8–2
 - scaling text, 8–3
- contrast, 7–6, 15–2 to 15–3, 15–4, 15–6 to 15–7
- copying
 - Looks, 5–2, 12–7 to 12–8
 - poses, 13–10, 13–15
- coverage, 16–8
- cracks in objects, fixing, 7–7, 10–13
- creating
 - 2-frame animations, 11–6, 13–23
 - animations, 13–1 to 13–2, 13–10 to 13–13

- AVI movies, 13–18 to 13–20
- decals, 10–13 to 10–14
- groups, 8–9, 12–1, 12–4 to 12–5
- Instances, 10–1 to 10–2, 10–5 to 10–6
- labels, 10–9 to 10–10
- Look Instances, 10–1 to 10–2
- new surfaces (Looks), 10–16 to 10–17
- objects, 2–6, 3–1 to 3–2
- poses, 13–5, 13–14
- reflections, 16–6 to 16–7
- See *also* rendering
- Crop tool, 7–6, 8–5 to 8–7
- crop window, 8–6 to 8–7
- cross sections of tubes, 4–9
- Custom camera lens, 11–5
- Custom command, 7–2, 7–6 to 7–7
- Custom Quality dialog, 7–6 to 7–7
- cylindrical projections
 - Cylindrical Shrinkwrap, 5–11 to 5–12
 - Cylindrical Wallpaper, 5–12
 - seams, 5–7 to 5–8

D

- debossing. See perforating objects
- decals (Looks), 10–13 to 10–14
- defaults
 - groups, 8–7
 - lights, 9–1
 - particle limit, 6–1
 - projections, 5–7
 - resetting lights, 9–6
- delaying movements in
 - animations, 13–9 to

- 13–10, 13–22
- deleting. See removing
- density
 - atmosphere, 11–7
 - particles, 6–3
- Depth setting, 4–2, 4–11 to 4–12
- Detach Look command, 9–5
- detail, controlling, 7–6
- Details window
 - applying Looks, 2–2 to 2–3, 5–1
 - Build tab, 4–1 to 4–13
 - Look tab, 5–1 to 5–13
 - Particle tab, 6–1 to 6–5
 - Text tab, 3–1 to 3–2
 - overview, 2–6
- Diffuse parameter, 10–18 to 10–20
- dimensions
 - aspect ratio, 7–3 to 7–4, 10–9
 - using screen dimensions and resolution, 7–3 to 7–4
- directories (folders)
 - changing using Look palette, 5–3
 - for light Looks, 9–5
 - selecting using Look palette, 5–2
- Disappear collision behavior, 6–4
- Displacement parameter, 10–21
- displaying. See viewing
- distant lights, 9–1
- See *also* lights
- Dome bevel, 4–10
- dot in lower right of tool, 8–1 to 8–2
- duplicating. See copying
- duration
 - of animations, 13–13, 13–16, 13–22

- of poses, 13–15 to 13–16, 13–22
- See *also* time

E

- Ease In&Out command, 13–4 to 13–5
- Ease In command, 13–4 to 13–5
- Ease Out command, 13–4 to 13–5
- editing bevels, 4–10 to 4–13, 16–2
- editing Looks
 - adjusting, 5–3 to 5–13, 16–4
 - approximating new surfaces, 10–16 to 10–17
 - basic surface controls, 10–6 to 10–8
 - colors, 5–3
 - editing level, 15–2
 - extreme variations, 10–4
 - Glimpse, 11–8
 - Look Masters, 10–2 to 10–4
 - making an Instance, 10–1 to 10–2, 10–5 to 10–6
 - Object Info dialog overrides, 10–6
 - opacity, 5–5
 - orientation, 5–6
 - projections, 5–6 to 5–13
 - Reflection issues, 10–14 to 10–16
- RenderMan Expert
 - parameters, 10–17 to 10–21, 15–2
 - scaling, 5–4, 5–6
 - turning off simulated reflections, 9–9
 - using color pictures as Looks, 10–8 to 10–10



- editing Looks (*continued*)
 - using gray scale pictures as Looks, 10–10 to 10–14
 - using Look Editor, 5–3, 10–1 to 10–21
 - using Object Info dialog, 5–3 to 5–13
- editing typos, 16–5
- Edit Look button, 5–3
- Edit Look command, 9–5
- Edit Look dialog. *See* Look Editor
- Edit menu
 - Reset... functions, 13–22
 - Reset View, 8–7
 - Toggle Grid, 8–14
- Effects menu, 11–1 to 11–7
 - Atmosphere, 11–6 to 11–7
 - Backgrounds, 2–4, 11–1 to 11–3
 - Camera Lens, 11–3 to 11–5
 - Motion Blur, 11–5 to 11–6, 13–22 to 13–23
 - Particle Physics, 6–4 to 6–5
- Ejection Speed control, 6–3
- Elasticity control, 6–2
- embossing. *See* perforating objects
- Emission controls, 6–3 to 6–4
- Empty Space controls, 15–2, 16–7 to 16–8
- Encapsulated PostScript (EPS) files, 7–4
- Environment
 - E sliders, 9–4, 10–16
 - Look Masters, 10–4
- Environs folder, 9–4
- EPS files, 7–4
- erasing. *See* removing
- error messages during rendering, 7–5

- E slider, 9–4, 10–16
- Excellent & Slow command, 2–3, 2–5, 7–2
- Extrude Styles, 4–1 to 4–5
 - Bevel Styles, 4–2 to 4–5
 - Depth setting, 4–2, 4–11 to 4–12
 - levels, 8–1, 12–1
 - Looks for sides, 4–1 to 4–2
 - particle generation, 6–1
 - projection recommendation, 5–7

F

- face level, 8–1, 12–1
- faces of objects
 - changing levels, 8–1, 12–1, 12–2
 - and Reliefs, 10–6
 - resetting text orientation to face-on, 2–4
 - See also* groups
- field of view (camera lenses), 11–3 to 11–5
- file extensions for movies, 14–1
- File menu
 - Preferences, 8–14, 13–8, 15–1 to 15–3
 - Print, 15–3 to 15–7
- files
 - kinds supported, 7–4
 - rendering to, 7–3 to 7–5
 - saving in Illustrator, 3–2
- file size of Instances with pictures, 10–9
- Fills (Illustrator), 3–2
- finding objects moved out of picture, 17–4
- Fish Eye camera lens, 11–4
- F keys. *See* function keys

- Flag Styles, 4–6 to 4–8
 - levels, 8–1
 - Padding setting, 4–8
 - particle generation, 6–1
 - projection recommendations, 5–7
 - Sheet Style setting, 4–6 to 4–7
 - Textiling setting, 4–6 to 4–7
 - Wind Gustiness setting, 4–8
 - Wind setting, 4–8
 - Wind Speed setting, 4–8
- flipping Looks, 5–6
 - See also* rotating
- floors (Backgrounds), 2–4, 11–1 to 11–3
 - missing, 17–3
 - not light enough, 17–1
 - reflections on, 16–6 to 16–7
 - shadows not right, 17–1
- fog (atmosphere), 11–6 to 11–7
- folders (directories)
 - changing using Look palette, 5–3
 - for light Looks, 9–5
 - selecting using Look palette, 5–2
- Fontographer, 16–1 to 16–2
- fonts
 - ATM version required, 2–1
 - kinds supported, 3–1, 16–3 to 16–4
 - Looks compared to, 10–2
 - PixarPerfs, 8–14, 18–1 to 18–2
 - selecting, 2–1, 3–1
- frames
 - aligning poses to, 13–16, 13–17
 - monitoring rendering, 7–5

frames (*continued*)

- number for jumping, 13–17
- particle amounts, 6–1
- particle life span, 6–2
- particle on/off control, 6–3
- particle start/stop, 6–3 to 6–4
- per second, 13–17
- rendering loops, 13–22
- See *also* animations; poses

From Front command, 8–7

From Left command, 8–7

From Top command, 8–7

function keys

- F2 (Text tool/Details dialog), 5–1, 8–2
- F3 (Illustrator Import tool), 3–2, 8–2
- F5 (Details window), 3–1 to 6–5
- F6 (Lights window), 9–1 to 9–9
- F7 (Score window), 13–1 to 13–25
- F8 (Message window), 7–5
- F9 (Move tool), 8–2
- F10 (Rotate tool), 8–2 to 8–3
- F11 (Scale tool), 4–2, 8–3 to 8–4
- F12 (Skew tool), 8–4 to 8–5

G

- Gamma adjustment, 7–6, 15–2 to 15–3, 15–4, 15–6 to 15–7
- Glimpse, 11–8
- Global Motion of atmosphere, 11–7
- graphics accelerator boards, 16–4 to 16–5
- Gravity control, 6–5

Gray PS file type, 7–4

gray scale pictures

- in Looks, 10–8, 10–10 to 10–14
- in multi-color decals, 10–13 to 10–14
- opacity, 10–11
- relief pictures, 10–12 to 10–13
- single-color decals, 10–14
- as sliders, 10–10
- two or more pictures together, 10 to 11 to 2

green Light button, 7–5

grid for aligning, 8–14, 15–2, 16–7

groups, 8–7 to 8–9, 12–1 to 12–8

- and animations, 13–6 to 13–10, 13–22

copying Looks, 12–7 to 12–8

creating, 8–9, 12–1, 12–4 to 12–5

defaults, 8–7

hierarchical "tree," 12–2 to 12–3

Illustrator, 3–2

Look-based, 8–8

moving levels, 8–1, 12–1, 12–2

overview, 8–7 to 8–8

perforating objects, 8–9 to 8–14

resizing, 8–8

resizing gray scale pictures, 10–11 to 10–12

and tools, 8–8

using, 12–5 to 12–7

Gustiness setting, 4–8

H

handles on bevels, 4–10 to 4–13

haze (atmosphere), 11–6 to 11–7

heaviness of particles, 6–2

height

- aspect ratio, 7–3 to 7–4, 10–9
- bouncing particles, 6–2

hidden surfaces

- quality control, 7–7
- selecting hidden text, 8–1

Hider Quality control, 7–7

highlights

Highlight Spread parameter, 10–20

Highlight Strength parameter, 10–18 to 10–19, 10–20

placement, 16–10

See *also* reflections

holes. See perforating objects

Horizontal Flip button, 5–6

horizontally moving text, 8–2

HSV color "tweening," 6–4

I

icons

Bevel Style, 4–2 to 4–5

override, 10–6

Perfs Difference, 8–11

Perfs Intersection, 8–10

pose nib shapes, 13–4

Simple Group, 8–10

Ignore collision behavior, 6–4

Illustrator

with Fontographer, 16–1 to 16–2

importing files, 3–2, 8–2

tips, 3–2

Illustrator Import tool (F3), 3–2, 8–2



Image Format dialog, 7–3 to 7–4
 Image Quality
 rendering animations, 13–19,
 13–20
 rendering stills, 7–5
 images
 color pictures in Looks, 10–8
 to 10–9
 for creating new surfaces,
 10–16
 decals, 10–13 to 10–14
 gray scale pictures in Looks,
 10–8, 10–10 to 10–14
 importing Illustrator files, 3–2
 label Looks, 10–9 to 10–10
 Opacity pictures, 10–13 to
 10–14
 printing, 15–3 to 15–7
 Reflection pictures, 10–15 to
 10–16
 resolution, 15–3 to 15–5
 using as Look textures, 16–3
 importing
 Illustrator files, 3–2
 images for Looks, 10–8 to
 10–14
 independent points, 4–11
 inherited Looks, 12–7
 inner (Textiling setting), 4–6 to
 4–7
 Instances
 approximating new surfaces,
 10–16 to 10–17
 aspect ratio of pictures, 10–9
 basic surface controls, 10–6 to
 10–8
 from color pictures, 10–8 to
 10–10
 creating, 10–1 to 10–2, 10–5
 to 10–6

 decals, 10–13 to 10–14
 described, 10–1, 10–2 to
 10–3
 file size, 10–9
 from gray scale pictures,
 10–10 to 10–14
 labels, 10–9 to 10–10
 Object Info dialog overrides,
 10–6
 Picture/Background, 10–8 to
 10–9
 Pictures as Anything, 10–11
 picture size, 10–9
 Reflection issues, 10–14 to
 10–16
 RenderMan Expert
 parameter, 10–17 to
 10–21
 invisible objects, 5–5, 10–8
 for tracking lights, 16–7
J
 jaggies, 10–21
 Jump Backward command, 13–5,
 13–17
 Jump Forward command, 13–5,
 13–17
K
 kerning, 16–2 to 16–3
L
 labels (Looks), 10–9 to 10–10
 laser printer, 15–3 to 15–7, 16–8
 to 16–9
 lenses (camera), 7–5, 8–14, 11–3
 to 11–5
 letter kerning, 16–2 to 16–3
 letter level, 8–1, 12–1, 12–3
 and animation, 13–6 to 13–10
 Object Info dialog, 17–3

 See *also* groups; text
 levels. See groups
 Life Span control, 6–2
 Light button, 7–5
 Light Info dialog, 9–7 to 9–8
 lights, 9–1 to 9–9
 Ambient, 9–3 to 9–4, 10–18,
 10–19
 animating, 9–8, 13–5, 13–21,
 16–7
 colors, 9–5
 default, 9–1
 distant, 9–1
 highlights, 10–18 to 10–19,
 10–20, 16–10
 intensity, 9–4, 9–5
 Light Info dialog, 9–7 to 9–8
 Lights window, 9–3 to 9–6
 Look Masters, 10–4
 Looks, 9–1 to 9–3, 9–5
 moving, 9–6
 pointing at objects, 9–8
 removing Looks, 9–5
 RenderMan Expert
 parameters, 10–17 to
 10–21
 resetting to defaults, 9–6
 selecting, 2–5
 shaders, 10–17 to 10–18
 shadows, 9–5 to 9–6
 slide projectors, 9–2
 spotlights, 9–2, 9–7
 tips, 16–9 to 16–10
 tracking, 9–8, 16–7
 troubleshooting, 17–2 to
 17–3
 TV Screen, 9–3, 10–16
 washed out images, 9–3, 9–4,
 17–2
 See *also* Looks; reflections

- Lights command, 9–1
- Lights window
 - boxes, 9–5
 - displaying, 9–1
 - illustration on tabs, 9–3, 9–6
 - sliders, 9–3 to 9–4
 - using, 9–3 to 9–6
- limit for particles, 6–1, 6–5
- linear animation path, 13–3 to 13–4, 13–21
- Line Color control, 15–2
- linescreen (screen frequency), 15–3 to 15–4, 16–9
- Linotronic output, 15–3 to 15–7, 16–8 to 16–9
- Load Values From controls, 7–7
- Local Motion of atmosphere, 11–7
- Look Editor, 5–3, 10–1 to 10–21
 - approximating new surfaces, 10–16 to 10–17
 - basic surface controls, 10–6 to 10–8
 - editing level, 15–2
 - extreme variations, 10–4
 - Glimpse, 11–8
 - Look Masters, 10–2 to 10–4
 - making an Instance, 10–1 to 10–2, 10–5 to 10–6
 - Object Info dialog overrides, 10–6
 - Reflection issues, 10–14 to 10–16
 - RenderMan Expert
 - parameters, 10–17 to 10–21, 15–2
 - using color pictures as Looks, 10–8 to 10–10
 - using gray scale pictures as Looks, 10–10 to 10–14

- See *also* editing Looks
- Look Example window, 5–2, 15–6
- Looks, 5–1 to 5–13
 - applying, 2–2 to 2–3, 5–1 to 5–3
 - approximating new surfaces, 10–16 to 10–17
 - Backgrounds, 2–4, 11–1 to 11–3
 - basic surface controls, 10–6 to 10–8
 - for both Textiling setting, 4–6 to 4–7
 - color, 2–4, 5–3
 - copying, 5–2, 12–7 to 12–8
 - custom textures, 16–3
 - decals, 10–13 to 10–14
 - editing using Look Editor, 5–3, 10–1 to 10–21
 - editing using Object Info dialog, 5–2 to 5–13, 16–4
 - Glimpse, 11–8
 - groups, 8–8
 - inherited, 12–7
 - Instances, 10–1, 10–2
 - labels, 10–8 to 10–9
 - lights, 9–1 to 9–3
 - Masters, 10–2 to 10–4
 - metalness, 10–7
 - missing, 17–3
 - moving through, 12–8
 - opacity, 5–5
 - orientation, 5–6
 - palette, 5–2 to 5–3
 - parameters, 10–2
 - particles, 6–5
 - pictures as, 10–8 to 10–14

- Pixar One Twenty Eight CD, 6–6, 10–5
- projections, 5–6, 5–7 to 5–13
- Reflection issues, 10–14 to 10–16
- removing from palette, 5–2
- RenderMan Expert
 - parameters, 10–17 to 10–21
- saving color and opacity settings, 5–6
- scale, 5–4, 5–6
- shaders, 10–17 to 10–18
- shininess, 10–6 to 10–7, 17–2 to 17–3
- for sides of holes, 12–8
- transparency, 10–7 to 10–8
- using pictures for, 10–8 to 10–14
- See *also* editing Looks; Instances; lights
- Loop Forward mode, 13–18
- loops in animations, 13–18, 13–21 to 13–22
- Loop To and Fro mode, 13–18
- lumpiness of atmosphere, 11–7

M

- Macintosh movies, 14–2
- Make Movie command, 13–18 to 13–20
- Make Movie dialog, 13–18, 13–19, 13–20
- Mass control, 6–2
- Master Looks
 - described, 10–2 to 10–3
 - Environments, 10–4
 - Lights, 10–4
 - Materials, 10–3
 - Reliefs, 10–3



- Material Look Masters, 10–3
- matte (alpha) channel, 7–4, 16–7 to 16–8
- Matte Look, 6–5
- Maximum number of particles, 6–1, 6–5
- Media Player, 13–23
- memory for rendering, 16–5
- Memory Usage control, 7–7
- menus
 - pose/ease type menu, 13–3 to 13–5, 13–25
 - for tool variants, 8–1 to 8–2
 - See *also* specific menus and menu commands
- Mercator projection, 10–15 to 10–16
- messages during rendering, 7–5
- metalness, 10–7
- Modify button, 2–6
- monitoring rendering, 7–5
- monitors, Gamma adjustment, 7–6, 15–2 to 15–3, 15–4, 15–6 to 15–7
- motion blur, 11–5 to 11–6, 13–22 to 13–23, 16–10
- Motion Drawing Modes, 13–18
- Motion menu
 - Animation Settings, 13–16 to 13–17
 - Jump Backward, 13–5, 13–17
 - Jump Forward, 13–5, 13–17
 - Make Movie, 13–18 to 13–20
 - Run Animation, 13–17 to 13–18
 - Update Simulations, 13–23
- Move tool (F9), 8–2
- mov file extension, 14–1, 14–2
- MovieMaker, 13–18 to 13–19, 13–20, 14–1 to 14–2

- movies
 - AVI, 13–2, 13–18 to 13–20, 14–1 to 14–2
 - QuickTime, 14–2
- moving
 - atmosphere motion, 11–7
 - constraining, 8–2 to 8–3
 - crop window, 8–7
 - finding objects moved out of picture, 17–4
 - grid for aligning, 8–14, 15–2, 16–7
 - levels, 8–1, 12–1, 12–2
 - lights, 9–6
 - motion blur, 13–22 to 13–23
 - nudging distance, 15–2
 - one word behind another, 16–5
 - poses (adjusting timing), 13–15, 13–22
 - scaling poses (adjusting duration), 13–15 to 13–16, 13–22
 - text, 8–2, 8–7
 - through Looks, 12–8
 - See *also* animation

N

- Natural (st) projection, 5–13
- neon signs. See Tube Styles
- New Look button, 5–1
- New Look command, 9–5, 10–5
- nibs, 13–1, 13–2, 13–3
 - shapes of, 13–4
- No Ease command, 13–4
- Nonuniform scaling, 8–3
- Normal Blur, 11–4 to 11–5, 13–23
- Normal camera lens, 11–3
- Nudging Distance slider, 15–2

O

- Object Info dialog
 - adjusting Looks, 5–3 to 5–13, 16–4
 - and letters, 17–3
 - overriding Look Editor settings, 10–6
- objects
 - creating, 2–6, 3–1 to 3–2
 - Illustrator tips, 3–2
 - pointing lights at, 9–8
 - scaling Looks with, 5–6
 - timeline, 13–1
 - See *also* groups; text
- One Twenty Eight CD, 6–6, 10–5
- On/Off control (particles), 6–3
- opacity
 - decreasing, 10–11
 - Opacity Override slider, 5–5, 5–6, 10–6
 - Opacity pictures as decals, 10–13 to 10–14
 - transparency vs., 5–5, 10–8, 10–11
- organizing letters and words. See groups
- orientation. See flipping Looks; rotating
- outer (Textiling setting), 4–6 to 4–7
- overlapping. See perforating objects
- overriding
 - colors, 2–4, 5–3, 5–6, 10–6
 - opacity, 5–5, 5–6, 10–6
- P**
- palette, 5–2 to 5–3
- parameters of Looks, 10–2



- particle attribute, 6–1 to 6–5
 - Average Particle controls, 6–2 to 6–3
 - controlling particle' behavior, 6–4 to 6–5
 - Emission controls, 6–3 to 6–4
 - rendering, 6–1, 6–5
 - turning on particles, 6–1 to 6–4
- Particle Density control, 6–3
- Particle Limit control, 6–1, 6–5
- Particle Look control, 6–5
- Particle Physics dialog, 6–4 to 6–5
- Particle Pulsation dialog, 6–3
- Particle Size control, 6–5
- paths in animations, 13–3 to 13–4, 13–21
- pauses in animations, 13–12 to 13–13
- perforating objects, 3–2, 8–9 to 8–14
 - Look for side of holes, 12–8
 - perf modes, 8–9 to 8–11
 - PixarPerfs font, 8–14, 18–1 to 18–2
 - tip, 16–10
 - troubleshooting, 17–3
 - tutorial, 8–11 to 8–13
- performance. *See* speed
- Perfs Difference, 8–11
- Perfs Intersection, 8–10
- Periodic Wrapping, 10–10
- photographic textures on CD, 6–6, 10–5
- Pick tool, 13–13
- Picture/Background Instance, 10–8 to 10–9
- pictures
 - color pictures in Looks, 10–8 to 10–9
 - for creating new surfaces, 10–16
 - decal Looks, 10–13 to 10–14
 - gray scale pictures in Looks, 10–8, 10–10 to 10–14
 - importing Illustrator files, 3–2
 - label Looks, 10–9 to 10–10
 - Opacity pictures, 10–13 to 10–14
 - printing, 15–3 to 15–7
 - Reflection pictures, 10–15 to 10–16
 - resolution, 15–3 to 15–5
 - using as Look textures, 16–3
- Pictures as Anything Instance, 10–11
- Pixar One Twenty Eight CD, 6–6, 10–5
- PixarPerfs font, 8–14, 18–1 to 18–2
- Pixel Samples control, 7–6
- Planar Z projection, 5–9
- playing (viewing) animations, 13–2, 13–17 to 13–20, 13–23
- points on bevels, 4–10 to 4–13
- pose/ease type menu, 13–3 to 13–5, 13–25
- pose nibs, 13–1, 13–2, 13–3
 - menu items, 13–3 to 13–5
 - removing, 13–14
 - shapes of, 13–4
- poses, 13–3 to 13–10, 13–13 to 13–16
 - aligning to frames, 13–16, 13–17
 - characteristics, 13–3
 - copying, 13–10, 13–15
 - creating (setting), 13–5, 13–14
 - dragging, 13–13, 13–15 to 13–16
 - easing, 13–4 to 13–5
 - grouping and ungrouping, 13–8 to 13–10
 - and groups, 13–6 to 13–8
 - moving (adjusting timing), 13–15, 13–22
 - path shape, 13–3 to 13–4, 13–21
 - removing, 13–14, 13–16
 - scaling (adjusting duration), 13–15 to 13–16, 13–22
 - selecting, 13–14 to 13–15
 - speed near, 13–4 to 13–5
 - See also* animations; frames
- Pose Scale tool, 13–15
- PostScript fonts
 - ATM version required, 2–1
 - kind supported, 3–1, 16–3 to 16–4
 - rendering EPS files, 7–4
- Preferences dialog, 15–1 to 15–3
 - grid dimensions, 8–14, 15–2
 - Motion Drawing Modes, 13–18
- printing, 15–3 to 15–7, 16–8 to 16–9
- projections, 5–6, 5–7 to 5–13
 - AutoPlanar, 5–8
 - Box, 5–9
 - Box Spherical, 5–8, 5–10
 - Cylindrical Shrinkwrap, 5–11 to 5–12
 - Cylindrical Wallpaper, 5–12
 - default, 5–7
 - Natural (st), 5–13
 - Planar Z, 5–9
 - recommendations for Styles, 5–7



- projections (*continued*)
 - Reflection Picture, 10–15 to 10–16
 - seams, 5–7 to 5–8
 - Spherical Shrinkwrap, 5–10
 - Spherical Wallpaper, 5–11
- project window, resizing, 15–1
- Pulse control, 6–3

Q

- quality of rendering
 - buttons, 7–1
 - custom, 7–2, 7–6 to 7–7
 - Excellent & Slow, 2–3, 2–5, 7–2
 - Quick & Dirty, 7–1
 - Reasonable, 2–3, 2–5, 7–2
- Quick & Dirty command, 7–1
- quick–start, 2–1 to 2–3
 - less quick start, 2–4 to 2–5
- QuickTime movies, 14–2

R

- Radius setting for tubes, 4–9 to 4–10
- Randomness control, 6–3
- Reasonable command, 2–3, 2–5, 7–2
- recomputing shadows, 7–3, 9–6
- red Light button, 7–5
- Reflection Picture parameter, 10–15 to 10–16
- reflections
 - creating, 16–6 to 16–7
 - editing Looks, 10–14 to 10–16
 - Environment Look Masters, 10–4
 - E slider, 9–4
 - highlights, 10–18 to 10–19,

- 10–20, 16–10
- metalness, 10–7
- RenderMan Expert
 - parameters, 10–17 to 10–21
- shaders, 10–17 to 10–18
- shininess, 10–6 to 10–7, 17–2 to 17–3
- simulated, 9–9, 10–15
- TV Screen Look, 9–3, 10–16
- Use Your Picture Look, 9–4
- See *also* lights
- Reflection Spread parameter, 10–20 to 10–21
- Reflection Strength parameter, 10–20
- Reflection Type parameter, 10–14 to 10–15
- Relief Instances, 10–12 to 10–13
- Relief Look Masters, 10–3, 10–6
- Relief Picture parameter, 10–12 to 10–13
- removing
 - backgrounds, 16–7 to 16–8
 - canceling rendering, 7–5
 - crop window, 8–6
 - hidden surfaces during rendering, 7–7
 - light Looks, 9–5
 - Looks from palette, 5–2
 - making animation objects disappear, 13–21
 - poses, 13–14, 13–16
 - simulated reflections, 9–9
- Render Cropping dialog, 8–6
- rendering, 7–1 to 7–7
 - animation loops, 13–21 to 13–22
 - animations, 13–17 to 13–20

- canceling, 7–5
- cropping area to render, 7–6, 8–5 to 8–7
- Custom setting, 7–2, 7–6 to 7–7
- error messages, 7–5
- Excellent & Slow setting, 2–3, 2–5, 7–2
- to file, 7–3 to 7–5
- memory for, 16–5
- monitoring, 7–5
- particles, 6–1, 6–5
- perforations, 8–10 to 8–11, 8–13
- and printing resolution, 15–4
- Quick & Dirty setting, 7–1
- Reasonable setting, 2–3, 2–5, 7–2
- restricting area to render, 7–6, 8–5 to 8–7
- to screen, 7–1 to 7–3
- shadows, 7–2 to 7–3, 9–6, 16–5
 - speeding up, 16–4 to 16–5
- RenderMan Expert parameters, 10–17 to 10–21, 15–2
- RenderMan for Windows, 7–4
- Render menu
 - Custom, 7–2, 7–6 to 7–7
 - Excellent & Slow, 2–3, 2–5, 7–2
 - Image Format, 7–3 to 7–5
 - Quick & Dirty, 7–1
 - Reasonable, 2–3, 2–5, 7–2
 - Render to Screen, 2–5
 - To File, 7–3 to 7–5
- Render to Screen command, 2–5
- Render with old Shadows box, 7–3

- Render without Shadows box, 7-3
- Reset View command, 8-7
- resizing
 - animated objects, 13-5
 - animation duration, 13-13, 13-16, 13-22
 - AVI movies, 13-19 to 13-20
 - crop window, 8-7
 - and grid, 8-14
 - group of gray scale pictures, 10-11 to 10-12
 - groups, 8-8
 - highlights, 10-20
 - images to use as Instances, 10-8 to 10-9
 - Looks, 5-4, 5-6
 - nudging distance, 15-2
 - particles, 6-5
 - pose duration, 13-15 to 13-16, 13-22
 - project window, 15-1
 - and shadow quality, 16-5
 - swap file, 16-5
 - text, 8-3 to 8-4
 - tubes, 4-9
 - volume-preserving, 8-3
 - words, 2-4
- resolution
 - AVI movies, 13-19 to 13-20
 - printing, 15-3 to 15-5, 16-8 to 16-9
 - using screen dimensions and resolution, 7-3 to 7-4
- restricting area to render, 7-6
- RGB color 'tweening, 6-4
- RIB file type, 7-4
- Rotate dialog, 8-3
- Rotate tool (F10), 8-2 to 8-3

- rotating
 - animations, 13-2, 13-5, 13-21
 - groups, 8-8
 - Looks, 5-6
 - nudging distance, 15-2
 - resetting text orientation to face-on, 2-4
 - text, 2-4, 8-2 to 8-3
 - See *also* flipping Looks
- Run Animation command, 13-17 to 13-18

S

- saving
 - bevels, 4-13
 - color setting for Looks, 5-6
 - files in Illustrator, 3-2
 - opacity setting for Looks, 5-6
- Scale box (Looks), 5-4
- Scale dialog, 8-3
- Scale Look with Object checkbox, 5-6
- Scale tool (F11), 4-2, 8-3 to 8-4
- scaling. See resizing
- scalloped Tube Style, 4-9
- Score window, 13-24 to 13-25
 - 2-frame animations, 11-6, 13-23
- applying Looks, 5-1 to 5-2
- customizing use of, 13-16 to 13-17
- groups, 8-7 to 8-8
- illustrated, 13-1
- perf modes, 8-9
- Pick tool, 13-13
- Pose Scale tool, 13-15
- Zoom tool, 13-13
- screen frequency (linescreen), 15-3 to 15-4, 16-9

- seams in projections, 5-7 to 5-8
- selecting
 - applying Looks, 2-2 to 2-3, 5-1 to 5-3
 - Backgrounds, 2-4
 - changing levels, 8-1, 12-1, 12-2
 - colors for Looks, 2-4, 5-3
 - directories using Look palette, 5-3
 - folders using Look palette, 5-2
 - fonts, 2-1, 3-1
 - lights, 2-5
 - obscured text, 17-4
 - poses, 13-14 to 13-15
 - text, 8-1
- Selection button, 9-8
- Set Duration dialog, 13-16
- setting poses, 13-5, 13-14
- shaders, 10-17 to 10-18
- Shading control, 7-6 to 7-7
- Shading Rate control, 7-6
- shadows
 - enabling for lights, 9-5 to 9-6
 - improving quality, 16-5
 - particles, 6-4
 - recomputing, 7-3, 9-6
 - rendering, 7-2 to 7-3, 9-6, 16-5
 - rendering without, 7-3
 - troubleshooting, 17-1 to 17-2
- shape
 - animation paths, 13-3 to 13-4, 13-21
 - aspect ratio of images, 7-3 to 7-4, 10-9
 - using screen dimensions and resolution, 7-3 to 7-4



- Sheet Style setting, 4–6 to 4–7
- shininess, 10–6 to 10–7, 17–2 to 17–3
- shrinkwrap projections
 - Cylindrical Shrinkwrap, 5–11 to 5–12
 - Spherical Shrinkwrap, 5–10
- sides of objects
 - applying Looks, 5–1
 - changing levels, 8–1, 12–1, 12–2
 - extruded letters, 4–1 to 4–2
 - holes, 12–8
 - and particles, 6–1
 - and Reliefs, 10–6
 - See also groups
- Simple Group, 8–10
- Simulated Reflection Complexity parameter, 10–15
- simulated reflections, 9–9, 10–15
- sizing. See resizing
- skewing, 8–4 to 8–5, 15–2
- Skew tool (F12), 8–4 to 8–5
- Sky Look, 9–5
- slide projectors, 9–2
 - See also lights
- sliders
 - atmosphere, 11–7
 - Bevel Depth, 4–2
 - with gray scale pictures, 10–11
 - gray scale pictures as, 10–10
 - Lights window, 9–3 to 9–4
 - Opacity Override, 5–5, 5–6, 10–6
 - Particle Physics, 6–5
 - Preferences dialog, 15–2
 - Flag Styles, 4–7
 - Spot Cone Angle, 9–7
- slides, 15–4

- smooth animation path, 13–3 to 13–4, 13–21
- smooth points, 4–11
- sparks, 6–2, 6–4, 6–5
 - See also particle attribute
- speed
 - animation poses, 13–4 to 13–5, 13–15, 13–22
 - frames per second, 13–17
 - and memory usage, 7–7
 - particle ejection, 6–3
 - and printing resolution, 15–4
 - rendering particles, 6–1
 - rendering perforations, 8–11
 - and rendering quality, 2–3, 7–1 to 7–2
 - speeding up rendering, 16–4 to 16–5
 - Wind setting, 4–8
 - See also time
- spherical projections
 - Box Spherical, 5–8, 5–10
 - seams, 5–7 to 5–8
 - Spherical Shrinkwrap, 5–10
 - Spherical Wallpaper, 5–11
- spotlights, 9–2, 9–7
 - See also lights
- spurting particles, 6–3
- square Tube Style, 4–9
- squashed and stretched
 - appearance, 8–3
- stair-step reduction, 10–21
- stars image example, 16–1 to 16–2
- Start at/Stop at control (particles), 6–3 to 6–4
- starting
 - making crop window active, 8–6
 - turning on atmosphere, 11–7

- turning on particles, 6–1 to 6–4
- turning on shadows for lights, 9–5 to 9–6
- Typestry, 2–1 to 2–5
- Status bar (rendering information), 7–5
- stretched and squashed appearance, 8–3
- Strokes (Illustrator), 3–2
- swap file, 16–5
- symmetrical points, 4–11

T

- tabs. See attributes
- Telephoto camera lens, 8–14, 11–4
- text, 8–1 to 8–14
 - aligning to grid, 8–14, 15–2, 16–7
 - camera views, 8–7
 - cracks in letters, 7–7
 - grouping, 8–7 to 8–9
 - Kerning, 16–2 to 16–3
 - letters run together, 16–3
 - levels, 8–1, 12–1
 - perforations, 3–2, 8–9 to 8–14
 - resetting orientation to face-on, 2–4
 - rotating, 2–4, 8–2 to 8–3
 - selecting, 8–1
 - tools, 8–1 to 8–7
 - typing in, 2–6, 3–1
 - viewing, 8–7
 - See also groups; objects
- text attribute, 3–1 to 3–2
 - importing Illustrator files, 3–2
 - typing in text, 3–1
- Textiling setting, 4–6 to 4–7



- Text tool (F2), 5–1, 8–2
- texture maps. *See* Looks
- TGA file type, 7–4
- TIFF files, 7–4, 10–8 to 10–9
- time
 - animation timeline, 13–1, 13–2
 - delaying movements in animations, 13–9 to 13–10, 13–22
 - duration of animations, 13–13, 13–16, 13–22
 - duration of poses, 13–15 to 13–16, 13–22
 - moving poses (adjusting timing), 13–15, 13–22
 - particle color changes, 6–3
 - particle density, 6–3
 - particle life span, 6–2
 - Score window display, 13–17
 - See also* animation; speed
- timeline, 13–1, 13–2
- Time Marker
 - illustrated, 13–1
 - setting poses, 13–5, 13–14
 - using, 13–1 to 13–2
- tips
 - bevels, 4–11, 16–10
 - Illustrator, 3–2
 - rules of thumb, 16–9 to 16–10
- Toggle Grid command, 8–14
- toolbar
 - Cancel button, 7–5
 - Crop tool, 7–6, 8–5 to 8–7
 - dot in lower right of tool, 8–1 to 8–2
 - and groups, 8–8
 - Illustrator Import tool (F3), 3–2, 8–2

- and levels, 12–1
- menus for tool variants, 8–1 to 8–2
- Move tool (F9), 8–2
- Pick tool, 13–13
- Pose Scale tool, 13–15
- quality buttons, 7–1
- Rotate tool (F10), 8–2 to 8–3
- Scale tool (F11), 4–2, 8–3 to 8–4
- Score window, 13–14, 13–25
- Skew tool (F12), 8–4 to 8–5
- text manipulation tools, 8–1 to 8–7
- Text tool (F2), 5–1, 8–2
- Zoom tool, 13–13
- Track button, 9–8
- tracking lights, 9–8, 16–7
- transparency, 10–7 to 10–8, 16–10
 - empty space, 15–2
 - opacity vs., 5–5, 10–8, 10–11
- troubleshooting, 17–1 to 17–4
 - animations, 13–21 to 13–22, 17–4
 - bevels, 17–1
 - error messages during rendering, 7–5
 - finding objects moved out of picture, 17–4
 - floor missing, 17–3
 - letters run together, 16–3
 - lights, 17–2 to 17–3
 - Look missing, 17–3
 - Object Info dialog, 17–3
 - perforating objects, 17–3
 - selecting obscured text, 17–4
 - shadows, 17–1 to 17–2
 - typos, 16–5

- washed out images, 9–3, 9–4, 10–19, 17–2
- TrueType fonts, 3–1, 16–4
- Tube Styles, 4–8 to 4–10
 - cross sections, 4–9
 - levels, 8–1
 - particle generation, 6–1
 - projection recommendation, 5–7
 - Radius setting, 4–9 to 4–10
- turning on/off
 - atmosphere effect, 11–7
 - making crop window active or inactive, 8–6
 - particles, 6–3
 - shadows for lights, 9–5 to 9–6
 - simulated reflections, 9–9
- TV Screen Look, 9–3, 10–16
- See also* lights
- Typestry
 - basic steps, 1–1
 - less quick start, 2–4 to 2–5
 - overview, 1–1
 - quick-start, 2–1 to 2–3
 - tips, 16–9 to 16–10
- typing in text, 2–6, 3–1
 - fixing typos, 16–5

U

- Uniform scaling, 8–3
- Update Simulations, 13–23
- Use Your Picture Look, 9–4

V

- Vertical Flip button, 5–6
- vertically moving text, 8–2
- video animations, 13–5, 16–9
- video compression, 13–19, 13–20, 14–2



- Video for Windows
 - AVI movies, 13–2, 13–18 to 13–20, 14–1 to 14–2, 13–23
 - limitations, 16–9
 - Media Player, 13–23
 - video compression, 13–19, 13–20, 14–2
- viewing
 - in 2D for aligning, 8–14
 - animations, 13–2, 13–17 to 13–20, 13–23
 - camera lenses, 7–5, 8–14, 11–3 to 11–5
 - changing Look Example, 5–2, 15–6
 - Lights window, 9–1
 - restoring original view, 8–7
 - Score window customization, 13–16 to 13–17
 - text camera views, 8–7
- Views menu
 - From Front, 8–7
 - From Left, 8–7
 - From Top, 8–7
 - text camera views, 8–7
 - View to Fit, 8–7
- virtual memory, 16–5
- Viscosity control, 6–5
- volume-preserving resizing, 8–3

W, X

- wallpaper projections
 - Cylindrical Wallpaper, 5–12
 - Spherical Wallpaper, 5–11
- walls (Backgrounds), 2–4, 11–1 to 11–3
 - reflections on, 16–6 to 16–7
 - shadows not right, 17–1
 - text missing, 17–2

- washed out images, 9–3, 9–4, 10–19, 17–2
- width, aspect ratio, 7–3 to 7–4, 10–9
- windows
 - resizing the project window, 15–1
 - See *also* specific windows
- Windows menu, Lights, 9–1
- Windows swap file, 16–5
- Wind setting, 4–8
- wireframe AVI movies, 13–18 to 13–19
- Wireframe Complexity slider, 15–2
- word level, 8–1, 12–1, 12–4 to 12–5
 - and animation, 13–6 to 13–10
 - changing bevel, 16–2
 - moving one word behind another, 16–5
 - See *also* groups; text

Y

- yellow Light button, 7–5
- yellow triangle with exclamation mark, 10–6

Z

- Zoom mode when cropping, 8–6 to 8–7
- Zoom tool, 13–13

